




RESISTÊNCIA ELÉCTRICA NOVA SOLIUS SUPERKIT 300L SUPERKIT 300L **SOLIUS** #HTXN2643 **- - -** L **\$**\$\$ +++ Δ ++Δ + 8 B Х C D Ε X F G

Water heating energy efficiency of water heater

Declared load profile:






Water heating energy efficiency class of package under average climate

| \bigcap | | | | | | | | × | | | | |
|-----------|-----|------|------|------|------|------|------|------|----------------|-----------------|-------|--|
| | | G | F | E | D | С | В | A | A ⁺ | A ⁺⁺ | A*** | |
| | М | <27% | ≥27% | ≥30% | ≥33% | ≥36% | ≥39% | ≥65% | ≥100% | ≥130% | ≥163% | |
| X | L | <27% | ≥27% | ≥30% | ≥34% | ≥37% | ≥50% | ≥75% | ≥115% | ≥150% | ≥188% | |
| | XL | <27% | ≥27% | ≥30% | ≥35% | ≥38% | ≥55% | ≥80% | ≥123% | ≥160% | ≥200% | |
| | XXL | <28% | ≥28% | ≥32% | ≥36% | ≥40% | ≥60% | ≥85% | ≥131% | ≥170% | ≥213% | |
| | | | | | | | | | | | | |

Water heating energy efficiency under colder and warmer climate conditions



The energy efficiency of the package of products provided for in this fiche may not correspond to its actual energy efficiency once installed in a buildings, as the efficiency is influenced by further factors such as heat loss in the distribution system and the dimensioning of the products in relation to building size and characteristics.